

Quotation / Estimate

Supplier ADL Coordinates Private Limited B-76, Nice Area, MIDC Satpur Nashik Pin code: 422007 E-Mail: marketing adlcoordinates.com Contact: 0253-2353407		Quotation No.: ADL_Q_101/25 Dated: 20 May 2025 Buyer Devendra Arvind Sirmukaddam Nagpur 440025 Pin code : 440025	
Terms of Payment: Advance		Terms of Delivery: Within 10 working days from the date of completion of survey	

Description of Service	SAC	Rate	Amount
{construction_type}- Survey for Site Elev Certificate (Project:)	998344		5508.00
Travel Cost			0.00
Total			5508.00
CGST		9.00 %	495.72
SGST		9.00 %	495.72
Total			6499.44

Amount Chargeable (in words): INR Six Thousand Four Hundred Ninty Nine Rupees and Forty-Four Paise only			E. & O.E.
--	--	--	-----------

SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
998344	5508.00	9.00%	495.72	9.00%	495.72	991.44
Total	5508.00		495.72		495.72	991.44

Tax Amount (in words): INR Nine Hundred Ninty One Rupees and Forty-Four Paise only	
---	--

Account Details of ADL Coordinates Private Limited for NEFT/RTGS			
Account holder name:	ADL Coordinates Private Limited	Account type:	Current
Account Number:	108805002703	Name of Bank:	ICICI Bank
IFSC Code:	ICIC0001088	Branch:	Mahatma Nagar, Nashik

Terms & Conditions:

1. The work will be undertaken within 10 working days from the date of receipt of Work Order and advance payment; whichever is later.
2. Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at Site.
3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.
4. The Survey will be conducted as per AAI's data quality requirements.
5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

ADL Coordinates
Private Limited

(This is a computer generated Quotation. Hence no signature required.)